PMS Products



Sterilization Packaging

Sterilization Control


Medical Sealing
Systems

Plasma Sterilizer

Industrial Packaging

PMS Products






Medical Sealing Systems














Rotary Sealer | SS101









Please click below links for more detailed informations.

Technical Specifications

Declaration of Conformity CE

Features

- Solid, durable housing.
- Constructed from sanded stainless steel for hygienic use.
- Multi-line seal.
- Temperature control with microprocessor with tolerance ±%1.
- Automatic in-feed with optic sensor.
- Adjustable temperature from 50°C up to 250°C.
- LCD display with 4 languages.
- 10 m/min sealing speed.
- Adjustable seal distance and Automatic standby mode.

Rotary Sealer With Printer | SS201





Essential data to be printed on the sterilization packaging, can be easily entered and monitored by the user through the large LCD panel. Seal date, expiry date, operator name/code and lot number details will be printed automatically during the optical sensor controlled feeding.

PMS Steri-Seal™ machines are validated, calibrated and in compliance with international standards





Please click below links for more detailed informations.

Printing Capabilities

Technical Specifications

Declaration of Conformity CE

Features

- Constructed from sanded stainless steel for hygienic use.
- Built-in printer.
- Seal date, expiry date, lot number and operator code printable.
- Adjustable font width.
- Printer can be activated & deactivated.
- Globally understandable coding. No need for language feature.
- Batch counter.
- Clock and calendar feature.

Pouchmate™ | PM101







9



 ${\it Please\ click\ below\ links\ for\ more\ detailed\ informations}.$

Watch Pouchmate™ Video

<u>Technical Specifications</u>


Declaration of Conformity CE

Features

- Automatic Pouch Maker.
- Large LCD screen.
- Easy settings via switch membrane panel.
- Maximum seal width 400mm.
- Multiple reel loading feature.
- Produces 4.000 pouches per hour.
- Pouch length can be adjusted from 50mm up to 1000mm.
- Batch counter.
- Sealing time can be adjusted.
- Can be used also for only reel cutting.
- Adjustable seal pressure.

Transfer Roller | SM1110 - SM1120 - SM1130









 ${\it Please \ click \ below \ links \ for \ more \ detailed \ informations.}$

Technical Specifications

Declaration of Conformity CE

Features

- Solid, durable.
- Easy to mount.
- Free moving rollers.
- Different sizes available.
- Transfer roller is an accessory for sealing machines, must be ordered separately.

Roll Dispenser with Cutter | KA201









Please click below links for more detailed informations.

Technical Specifications

Declaration of Conformity CE

Features

- Solid, durable.
- Easy to use.
- Made of stainless steel and steel rods with nylon bearings for hygienic use at CSSDs.
- Accurate and high quality cutting blade
- Safe & secure cutting blade handling and easy replacement.

zaman ayırdığınız için teşekkür ederiz

شكرا لحسن استماعكم

gracias por su tiempo

hvala za vaše vrijeme

vă multumesc pentru timpul dvs.

dank u voor uw tijd

di ou mèsi pou tan ou

σας ευχαριστώ για το χρόνο σας

grazie per il vostro tempo

מודה לך על הזמן שלך

děkuji za váš čas obrigado por seu tempo

시간 내 주셔서 감사합니다

Þakka þér fyrir tíma þinn

terima kasih atas waktu Anda आप अपने समय के लिए धन्यवाद

あなたの時間をありがとう

感谢您的时间

thank you for your time

Kiitos aikaa

Благодарю вас за ваше время Dziękuję za rozmowę merci pour votre temps

zaman üçün təşəkkür edirik

Дякую вам за ваш час © PMS | All Rights Reserved.

tack för din tid